

KELCOGEL[®] CG-HA GELLAN GUM

Document No.: 599-X

Effective Date: 26 Feb 2016

Description	KELCOGEL CG-HA gellan gum is a unique gelling agent for use in personal care applications. KELCOGEL CG-HA gellan gum can be used to form elastic gels, modify textures, stabilize formulations (including emulsions and suspensions) and create films.
Features	<ul style="list-style-type: none"> • “fluid gels,” for use in stabilizing suspensions, can be made at very low use levels • higher use levels will result in the formation of soft, elastic gels • gels are opaque and have high set and melt temperatures (70 – 90°C) • gels are stable over a wide pH range • compatibility with anionic, amphoteric and non-ionic surfactants • easily combined with most other rheology modifiers
Typical Applications	<ul style="list-style-type: none"> • shampoo and haircare products • skin lotions and creams • sunscreen and suncare products • emulsion stabilizer <ul style="list-style-type: none"> • suspension stabilizer • non-dissolving cosmetic films • toothpaste
Typical Use Level	KELCOGEL CG-HA gellan gum forms gels at use levels as low as 0.05%. Gel strength can be increased by manipulating both gum and ion concentration. KELCOGEL CG-HA gellan gum can be used to form fluid gels at concentrations between 0.025% and 0.1%.
Dispersion/Hydration	Model gels are produced by adding KELCOGEL CG-HA gellan gum to deionized under shear, heating to 70 – 90°C, adding ions and cooling to set. Both monovalent and divalent ions can be used: K+, Na+, Ca++ and Mg++.
Standard Packaging	Packed in 25-kg Leverpak drums (or their equivalent) with polyethylene liners (21 CFR §177.1520). All packaging materials comply with relevant EU, and US food contact legislation.
Ingredient/Labeling	<p>KELCOGEL CG-HA gellan gum</p> <p>Gellan gum for cosmetic and personal care applications</p> <p>Food grade gellan gum, CAS: 71010-52-1; E418</p> <p>For use as a stabilizer, thickener, or emulsifier</p> <p>Kosher approved; Halal approved</p>
Regulatory Information	<p>Gellan gum complies with requirements contained in the following regulations and standards: <i>Food Chemicals Codex</i>, 21 CFR § 172.665 (USA), <i>Canadian Food and Drug Law</i> (Item G.2, Table IV), JECFA, the purity criteria in the current EC Directive, 1829/2003/EC, and <i>Japan’s Specifications and Standards for Food Additives</i></p> <p>Product is tested to ensure compliance with USP <467> Residual Solvents, and with the purity criteria defined in the monograph for gellan gum in the current edition of the <i>National Formulary</i>.</p> <p>Gellan gum is listed as being approved for use in cosmetic applications in the following regulations and standards: EC’s <i>International Nomenclature of Cosmetic Ingredients</i> (INCI) (EINECS No.275-117-5); the Cosmetics, Toiletries and Fragrances Association’s (CTFA) <i>International Cosmetic Ingredient Dictionary</i> (ICID).</p>
Storage Conditions/ Shelf Life	Store in a roofed and well-ventilated area in the unopened original package. Functional properties of the product are guaranteed to conform with the stated sales specifications for 730 days from the date of manufacture when stored under these conditions. Product quality should be re-evaluated prior to use if this “Best Before” date has been exceeded.
Quality System	Manufactured according to a Quality System registered to ISO 9001:2008.

Specifications

<u>Property</u>	<u>Requirement</u>	<u>Test Method</u>
Particle Size	Tyler Standard Screen, Ro-Tap	KTM146
- 42 mesh (355 µm)	Not less than 97% through	
Loss on Drying	Not more than 15.0%	KTM003
Appearance	White to tan, uniform in appearance	
Solution pH		KTM005
- 0.5% gum in DI water	For information only	
Gel Strength, Puncture		KTM261
- Force	400 – 650 g/cm ²	
- Distance	Not less than 80%	
Identification	Pass	KTM519
Total Nitrogen	Not more than 3.0%	KTM516
Assay	3.3 – 6.8% CO ₂	KTM503
Ash	4.0 – 14.0%	KTM255
Heavy Metals	Not more than 20.0 mg/kg (ppm)	KTM514
Lead	Not more than 2.0 mg/kg (ppm)	KTM514
Arsenic	Not more than 3.0 mg/kg (ppm)	KTM514
Mercury	Not more than 1.0 mg/kg (ppm)	KTM514
Cadmium	Not more than 1.0 mg/kg (ppm)	KTM514
Isopropyl Alcohol	Not more than 750 mg/kg (ppm)	KTM520
Bacteria*	Not more than 1,000 cfu/g	KTM800
Fungal (Yeast and Mold) Count	Not more than 100 cfu/g	KTM803
Coliform	Negative by Most Probable Number	KTM801
<i>Escherichia coli</i>	Absent in 25 g	KTM802
<i>Salmonella</i> spp.	Absent in 25 g	KTM804
<i>Staphylococcus aureus</i>	Absent in 1.0 g	KTM806
<i>Pseudomonas aeruginosa</i>	Absent in 1.0 g	KTM807
Total Aerobic Plate Count	Not more than 2,000 cfu/g	USP <61>
Total Yeasts and Molds	Not more than 200 cfu/g	USP <61>
<i>Escherichia coli</i>	Absent in 1 g	USP <62>
<i>Salmonella</i>	Absent in 10 g	USP <62>

* Total viable mesophilic aerobic count, 48 hr incubation

METHODS OF TESTING (For test methods not listed, follow the applicable compendium. Full details of test methods are available upon request.)

Particle Size (KTM146)

Shake 50 g product on a 42 mesh (355 µm) Tyler Standard Screen for 20 minutes using a Ro-Tap sieve shaker.

Loss on Drying (KTM003)

Spread 3-5 g product evenly on a tared weighing pan and weigh accurately. Dry in an oven at 105°C for 2½ hours. Cool in a desiccator and reweigh.

Appearance

Qualitative evaluation.

Solution pH (KTM005)

Slowly add 1.5 g product to 297 mL deionized water in a 400-mL beaker while stirring at 800 rpm using a low-pitched, propeller-type stirrer. After stirring for 30 min, use a pH meter to measure the pH of this solution.

Gel Strength (KTM261)

Test method is available upon request.

NOTE: CP Kelco reserves the right to use company test methodology.

The information contained herein is, to our best knowledge, true and accurate, but all recommendations or suggestions are made without guarantee, since we can neither anticipate nor control the different conditions under which this information and our products are used. Each manufacturer should evaluate their final products to determine compliance with all relevant federal, state and local regulations. Further we can disclaim all liability with regard to its customers' infringement of third party intellectual property including, but not limited to, patents. We recommend that our customers apply for licenses under any relevant patents. No statement herein or by our employees shall be construed to imply the non-existence of relevant patents or as a recommendation or inducement to infringe said patents. It is our policy, however, to assist our customers and to help in the solution of particular problems which may arise in connection with applications of our products.

KELCOGEL[®] is a registered trademark of CP Kelco ApS and/or CP Kelco U.S., Inc. and may be registered or applied for in other countries.
© CP Kelco ApS 2005

www.cpkelco.com

The Americas
CP Kelco
800-535-2687 phone
678-247-2752 fax



Europe/Middle East/Africa
CP Kelco France SARL
+33 (0) 1 49 03 78 00 phone
+33 (0) 1 49 03 78 29 fax

e-mail: solutions@cpkelco.com

Asia Pacific
CP Kelco Singapore Pte. Ltd.
+65 6491 9100 phone
+65 6491 9101 fax